

COR-IP8FISHC

8MP PANORAMIC FISH EYE NETWORK CAMERA with INFARED



KEY FEATURES

- 1/2.5" Progressive CMOS
- 1.1mm IR Lens, 360° Angle of View
- Premium Components
- Dwarping Technology
- Up to 15 Feet radius 30 feet dia.
- IP56 indoor use
- 3840 (H) × 2160 (V) Resolution

SPECIFICATIONS

Resolution	8MP 3840(H)×2160(V)
Image Sensor	1/2.5" Progressive CMOS (8.51M pixels)
Min.Illumination	Color 0.01lux @ F1.2(AGC ON) ; B/W 0 lux @ IR ON
Shutter Time	Auto/Manual 1/5 ~ 1/20000s
Lens	1.1mm , Angle of view: 360°
F No.	F 2.0 ±5%
Day & Night	Auto switching infrared-cut filter (OSD on/off)
WDR	Digital
Video compression	H.265 / H.264
Video Bit Rate	8Kbps ~ 8Mbps
Video Streaming	3 individually adjustable streams
Frame Rate	Mainstream 8MP (3840x2160),4MP(2592x1520) 3MP(2304x1296),1080P(1920x1080), 720P(1280x720), Substream 1080P(1920x1080),720P(1280x720), VGA(640x480),QVGA(320x240) Mobilestream VGA(640x480), QVGA(320x240)
Image Settings	Image rotate, Saturation, Contrast, Hue, Brightness, Sharpness
BLC	Supported
ROI	Supported
Privacy Mask	Supported



Protocols	TCP/IP,IPv4v6,HTTP,DHCP,DNS, DDNS,RTP/RTSP,PPPoE, SMTP,NTP,UPnP,SNMP,HTTPS,FTP
Compatibility	Open Compatibility, API, CortexPlug&Play
Network Interface	RJ45 10M / 100M Ethernet interface
Illumination	3pcs (SMD)
IR range	15 feet (5m) 30 feet dia.
SD Card	Internal
Alarm Trigger	Yes, Screw Terminal
Audio	Yes
Video Output	Yes
Reset System	Hardware reset button and software
PoE	Yes
Casing	IP56 (indoor)
Power Supply	DC 12V / POE
Consumption	≤ 5W
Storage Temperature	-30~+60°C (-22~+140°F)
Operating Temperature	-30~+55°C (-22~+131°F)
Dimensions	120 X 55mm (4.72 X 2.16 inches)
Weight	Approximately .88 lbs (400g)

COR-IP8FISHC

